PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Editor-in-Chief

J. B. HARBORNE F.R.S.

Associate Editor (North America)

N. G. LEWIS

Executive Editor

T. A. SMITH

Volume 45 Contents, Author Index and
Subject Index 1997

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: School of Biological Sciences, Liverpool University, Liverpool L69 7ZB, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Biological Sciences, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

EDITORIAL BOARD—1997

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
G. P. Bolwell:	School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.
E. G. Brown:	Biochemistry Group, School of Biological Sciences, University of Wales Swansea, Singleton Park, Swansea SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
D. Strack:	Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1998).

Annual Institutional Subscription Rates 1998: Europe, The CIS and Japan 4873.00 Dutch Guilders. All other countries US$2801.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

Copyright © 1998 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes**, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2801**. *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

CONTENTS OF VOLUME 45

Number 1

Announcement ix

Growth and Metabolism

Characterization of a BnD22 drought-induced protein expressed in *Brassica napus* leaves — 1 G. Ilami, C. Nespoulous, J.-C. Huet N. Vartanian and J.-C. Pernollet

Matrix assisted laser desorption/ionization time-of-flight mass spectrometry of tomato extensin monomers and potato lectin — 9 M. J. Kieliszewski and R. Orlando

Isolation and characterization of a mung bean leaf polyphenol oxidase — 15 R. Shin, T. Froderman and W. H. Flurkey

Arabidopsis dihydropteroate synthase: general properties and inhibition by reaction product and sulfonamides — 23 V. Prabhu, H. Lui and J. King

Occurrence of pinitol in developing soybean seed tissues — 29 T. M. Kuo, C. A. Lowell and T. C. Nelsen

Ecological Biochemistry

Isolation and synthesis of a host-selective toxin produced by *Alternaria alternata* — 37 M. Liakopoulou-Kyriakides, A. L. Lagopodi, C. C. Thanassoulopoulos, G. S. Stavropoulos and V. Magafa

Phytotoxins and related metabolites produced by *Bipolaris coicis*, the pathogen of Job's tears — 41 H. Nakajima, T. Ishida, Y. Otsuka, T. Hamasaki and M. Ichinoe

A phytoalexin from roots of *Musa acuminata* var. Pisang sipulu — 47 R. H. Binks, J. R. Greenham, J. G. Luis and S. R. Gowen

Phenols from *Fagus sylvatica* and their role in defence against *Cryptococcus fagisuga* — 51 A. Dübeler, G. Voltmer, V. Gora, J. Lunderstädt and A. Zeeck

Biosynthesis

Biosynthesis of benzylglucosinolate, cyanogenic glucosides and phenylpropanoids in *Carica papaya* — 59 R. N. Bennett, G. Kiddle and R. M. Wallsgrove

Formation and emission of monohalomethanes from marine algae — 67 N. Itoh, M. Tsujita, T. Ando, G. Hisatomi and T. Higashi

Structure and biosynthesis of *trans*-polyisoprene from *Eucommia ulmoides* — 75 J. Tangpakdee, Y. Tanaka, K. Shiba, S. Kawahara, K. Sakurai and Y. Suzuki

Cell Culture and Biotechnology

Cardenolides of *Digitalis obscura*: the effect of phosphate and manganese on growth and productivity of shoot-tip cultures — 81 I. Gavidia and P. Pérez-Bermúdez

Phenylphenalenones from root cultures of *Anigozanthos preissii* — 87 D. Hölscher and B. Schneider

Chemotaxonomy

Sterols and volatiles in *Cystoseira barbata* and *Cystoseira crinita* from the Black Sea — 93 T. Milkova, G. Talev, R. Christov, S. Dimitrova-Konaklieva and S. Popov

Chromone and aloin derivatives from *Aloe broomii*, *A. africana* and *A. speciosa* — 97 C. W. Holzapfel, P. L. Wessels, B.-E. Van Wyk, W. Marais and M. Portwig

Bioactive Plant Products

A phloracetophenone glucoside with choleretic activity from *Curcuma comosa* — 103 A. Suksamrarn, S. Eiamong, P. Piyachaturawat and L. T. Byrne

Plant Chemistry

Sesquiterpenoids from *Tanacetum argenteum* subsp. *canum* var. *canum* — 107 N. GÖREN and E. TAHTASAKAL

Germacranes and flavonoids from *Achillea ageratum* — 111 L. M. VIEIRA, A. KIJJOA, J. A. PEREIRA, T. E. GEDRIS and W. HERZ

Diterpenes from the leaf exudate of *Psiadia punctulata* — 117 J. O. MIDIWO, F. A. O. OWUOR, B. F. JUMA and P. G. WATERMAN

Neo-clerodane diterpenoids from *Ajuga australis* and *A. orientalis* — 121 M. C. DE LA TORRE, B. RODRÍGUEZ, M. BRUNO, F. PIOZZI, N. VASSALLO, M. L. BONDÍ and O. SERVETTAZ

Triterpenoid saponins from *Aster bellidiastrum* — 125 T. SCHÖPKE, C. AL-TAWAHA, V. WRAY, M. NIMTZ and K. HILLER

Three xanthones from *Poeciloneuron pauciflorum* and *Mammea acuminata* — 133 H. TOSA, M. IINUMA, K. MURAKAMI, T. ITO, T. TANAKA, V. CHELLADURAI and S. RISWAN

Terracinolides from *Euphorbia terracina* — 137 J. A. MARCO, J. F. SANZ-CERVERA, A. YUSTE and J. JAKUPOVIC

Limonoids from *Trichilia elegans* ssp. *elegans* — 141 F. R. GARCEZ, W. S. GARCEZ, M. T. TSUTSUMI and N. F. ROQUE

Joannesialactone and other compounds from *Joannesia princeps* — 149 H. ACHENBACH and G. BENIRSCHKE

Lignan, phenylpropanoid and iridoid glycosides from *Pedicularis torta* — 159 W. CHANGZENG and J. ZHONGJIAN

Seven acylated anthocyanins in blue flowers of *Gentiana* — 167 K. HOSOKAWA, E. FUKUSHI, J. KAWABATA, C. FUJII, T. ITO and S. YAMAMURA

Acylated cyanidin glycosides in the red–purple flowers of *Phalaenopsis* — 173 F. TATSUZAWA, N. SAITO, H. SEKI, R. HARA, M. YOKOI and T. HONDA

Myricetin 5,7,3′,4′,5′-pentamethyl ether and other methylated flavonoids from *Murraya paniculata* — 179 T. KINOSHITA and K. FIRMAN

Three flavonoids from *Daphne odora* — 183 M. TANIGUCHI, A. FUJIWARA and K. BABA

Two prenylated isoflavanones from *Millettia pervilleana* — 189 C. GALEFFI, P. RASOANAIVO, E. FEDERICI, G. PALAZZINO, M. NICOLETTI and B. RASOLONDRATOVO

Short Reports

Iridoid and phenylpropanoid glucosides from *Tecoma capensis* — 193 M. GUISO, C. MARRA, F. PICCIONI and M. NICOLETTI

(−)-1(10),11-Eremophiladien-9β-ol from the liverwort *Marchantia polymorpha* ssp. *aquatica* — 195 A. RIECK, N. BÜLOW, C. FRICKE, Y. SARITAS and W. A. KÖNIG

Kaempferol 3-*O*-(6″-caffeoylglucoside) from *Pteridium aquilinum* — 199 F. IMPERATO and P. MINUTIELLO

Quercetagetin 6-*O*-β-D-glucopyranoside from *Tagetes mandonii* — 201 M. D'AGOSTINO, F. DE SIMONE, S. PIACENTE, C. PIZZA and F. SENATORE

An unusually lipophilic flavonol glycoside from *Ranunculus sardous* pollen — 203 K. R. MARKHAM, K. A. MITCHELL and M. CAMPOS

A pterocarpan from *Erythrina orientalis* 205 H. Tanaka, T. Tanaka and H. Etoh

Book Review 209

Number 2

Announcement ix

Growth and Metabolism

meta-Topolin, a highly active aromatic cytokinin from poplar leaves (*Populus* × *canadensis* Moench., cv. *robusta*) 213 M. Strnad, J. Hanuš, T. Vaněk, M. Kamínek, J. A. Ballantine, B. Fussell and D. E. Hanke

Thermal isomerization of the neurotoxin *β*-*N*-oxalyl-L-*α*,*β*-diaminopropionic acid 219 A. Belay, G. Moges, T. Solomon and G. Johansson

Effects of citrate on respiratory gas exchange and metabolism in carrot root tissues 225 H. Kato-Noguchi

A basic peroxidase isoenzyme from vacuoles and cell walls of *Vitis vinifera* 229 M. Morales and A. Ros Barceló

Role of a cytochrome P450-dependent monooxygenase in the hydroxylation of 24-*epi*-brassinolide 233 J. Winter, B. Schneider, D. Strack and G. Adam

Quinoprotein amine oxidase from sainfoin seedlings 239 L. Zajoncová, M. Šebela, I. Frébort, H. G. Faulhammer, M. Navrátil and P. Peč

Effects of carbon dioxide concentration and temperature on lipid synthesis by young wheat leaves 243 M. Williams and J. L. Harwood

Ecological Biochemistry

Epicuticular wax variation in ecotypes of *Arabidopsis thaliana* 251 A. M. Rashotte, M. A. Jenks, T. D. Nguyen and K. A. Feldmann

Biosynthesis

The conversion of 2-*cis*-[^{14}C]xanthoxic acid into [^{14}C]ABA 257 B. V. Milborrow, R. S. Burden and H. F. Taylor

Isopentenyl diphosphate isomerase and prenyl transferase activities in bottom fraction and C-serum from *Hevea* latex 261 J. Tangpakdee, Y. Tanaka, K. Ogura, T. Koyama, R. Wititsuwannakul, D. Wititsuwannakul and K. Asawatreratanakul

Rubber formation by fresh bottom fraction of *Hevea* latex 269 J. Tangpakdee, Y. Tanaka, K. Ogura, T. Koyama, R. Wititsuwannakul and D. Wititsuwannakul

Structure of *in vitro* synthesized rubber from fresh bottom fraction of *Hevea* latex 275 J. Tangpakdee, Y. Tanaka, K. Ogura, T. Koyama, R. Wititsuwannakul and N. Chareonthiphakorn

Cell Culture and Biotechnology

Biotransformation of *ent*-6*α*-acetoxy- and *ent*-6-ketomanoyl oxides with *Rhizopus nigricans* and *Curvularia lunata* cultures 283 A. García-Granados, J. J. Gutiérrez, A. Martínez, F. Rivas and J. M. Arias

A diterpenoid and triterpenes from tissue cultures of *Tripterygium wilfordii* 293 K. Nakano, Y. Oose, Y. Masuda, H. Kamada and Y. Takaishi

Oxidized phytosterols increase by ageing in photoautotrophic cell cultures of *Chenopodium rubrum* 297 W. Meyer and G. Spiteller

Chemotaxonomy

Octadecapentaenoic acid in a raphidophyte alga, *Heterosigma akashiwo* — 303 M. V. Bell, J. R. Dick and D. W. Pond

Variability of essential oils of *Thymus caespititius* from Portugal — 307 L. R. Salgueiro, R. Vila, F. Tomi, A. C. Figueiredo, J. G . Barroso, S. Cañigueral, J. Casanova, A. Proença da Cunha and T. Adzet

Dihydroisocoumarins from fungi: isolation, structure elucidation, circular dichroism and biological activity — 313 K. Krohn, R. Bahramsari, U. Flörke, K. Ludewig, C. Kliche-Spory, A. Michel, H.-J. Aust, S. Draeger, B. Schulz and S. Antus

Bioactive Plant Products

A bioactive triterpene from *Lantana camara* — 321 J. T. Barre, B. F. Bowden, J. C. Coll, J. Runa De Jesus, V. E. De La Fuente, G. C. Janairo and C. Y. Ragasa

Alkaloids and other compounds from seeds of *Tabernaemontana cymosa* — 325 H. Achenbach, M. Benirschke and R. Torrenegra

Plant Chemistry

Tryptamine derived amides from *Clausena indica* — 337 B. Riemer, O. Hofer and H. Greger

Sesquiterpenoids from *Eurphorbia wangii* — 343 J.-G. Shi, Y.-P. Shi and Z.-J. Jia

The absolute configuration of assufulvenal — 349 J. Lange, G. Benirschke and H. Achenbach

Sesqui- and diterpenoids from the Japanese liverwort *Jungermannia hattoriana* — 353 F. Nagashima, H. Tanaka, S. Takaoka and Y. Asakawa

Sesquiterpene lactones from *Lactuca tatarica* — 365 W. Kisiel, B. Barszcz and E. Szneler

Sesquiterpene lactones and glucosides from *Urospermum picroides* — 369 B. A. A. A. Balboul, A. A. Ahmed and H. Otsuka

Guaianolides and other terpenoids from *Anthemis aetnensis* — 375 M. Bruno, M. L. Bondi, N. Vassallo, T. E. Gedris and W. Herz

Clerodane diterpenes of *Croton hovarum* — 379 H. C. Krebs and H. Ramiarantsoa

A neo-clerodane diterpenoid from *Teucrium asiaticum* — 383 B. Rodriguez, M. C. de la Torre, M. Bruno, F. Piozzi, N. Vassallo, R. Ciriminna and O. Servettaz

Parryin, a diterpene with a tricyclic 6-7-5-ring system from *Salvia parryi* — 387 E. M. Guajardo Touché, E. G. Lopez, A. Reyes P., H. Sánchez, F. Honecker and H. Achenbach

Cucurbitane triterpenoids from the leaves of *Momordica foetida* — 391 D. A. Mulholland, V. Sewram, R. Osborne, K. H. Pegel and J. D. Connolly

13,14-Desepoxyazadirachtin-A, a tetranortriterpenoid from *Azadirachta indica* — 397 T. R. Govindachari and G. Gopalakrishnan

Isobiflorin, a chromone *C*-glucoside from cloves (*Eugenia caryophyllata*) — 401 Y. Zhang and Y. Chen

Extractable and non-extractable proanthocyanidins in barks — 405 S. Matthews, I. Mila, A. Scalbert and D. M. X. Donnelly

Wahlenbergioside, a phenylpropanoid glucoside from *Wahlenbergia marginata* — 411 W. G. Ma, R. X. Tan, N. Fuzzati, Q. S. Li, J.-L. Wolfender and K. Hostettmann

Malvidin-3-*O*-glucoside-5-*O*-(6-acetylglucoside) and its colour manifestation in 'Johnson's Blue' and other 'blue' geraniums 417 K. R. Markham, K. A. Mitchell and M. R. Boase

Calystegine alkaloids from *Duboisia leichhardtii* 425 A. Kato, N. Asano, H. Kizu, K. Matsui, S. Suzuki and M. Arisawa

8-Benzylberbine and *N*-oxide alkaloids from *Aristolochia gigantea* 431 L. M. X. Lopes and E. Humpfer

Number 3

Review Article

Folates and one-carbon metabolism in plants and fungi 437 E. A. Cossins and L. Chen

Growth and Metabolism

Soluble lipoxygenase isoforms from tomato fruit 453 J. J. Smith, R. Linforth and G. A. Tucker

Modulation of poly(A)polymerase by cAMP in *Cicer arietinum* 459 S. Praveen, K. Swarup, S. Prakash, T. R. Madaan and H. C. Kapoor

Influence of prestorage heat and calcium treatments on lipid metabolism in 'Golden Delicious' apples 465 B. D. Whitaker, J. D. Klein, W. S. Conway and C. E. Sams

Variation of cardenolides with growth in a *Digitalis lanata* Brazilian cultivar 473 F. C. Braga, W. Kreis, R. A. Récio and A. B. de Oliveira

Enzymatic condensation of dopamine and secologanin by cell-free extracts of *Alangium lamarckii* 477 W. De-Eknamkul, A. Ounaroon, T. Tanahashi, T. M. Kutchan and M. H. Zenk

Ecological Biochemistry

Feeding-deterrent bromophenols from *Odonthalia corymbifera* 485 K. Kurata, K. Taniguchii, K. Takashima, I. Hayashi and M. Suzuki

Selective sequestration and metabolism of plant derived pyrrolizidine alkaloids by chrysomelid leaf beetles 489 T. Hartmann, L. Witte, A. Ehmke, C. Theuring, M. Rowell-Rahier and J. M. Pasteels

Cell Culture and Biotechnology

Triterpenoids from *Pisolithus tinctorius* isolates and ectomycorrhizas 499 A. Baumert, B. Schumann, A. Porzel, J. Schmidt and D. Strack

Chemotaxonomy

Carotenoid glucoside mycolic acid esters from the nocardioform actinomycetes, *Rhodococcus rhodochrous* 505 S. Takaichi, Y. Tamura, K. Azegami, Y. Yamamoto and J. Ishidsu

Bioactive Plant Products

Cytotoxic prenylated flavanones from *Monotes engleri* 509 E.-K. Seo, G. L. Silva, H.-B. Chai, T. E. Chagwedera, N. R. Farnsworth, G. A. Cordell, J. M. Pezzuto and A. D. Kinghorn

Plant Chemistry

Nonprotein amino acids from *Cycas revoluta* 517 M. Pan, T. J. Mabry, J. M. Beale and B. M. Mamiya

Cyclopeptide from the seeds of *Annona squamosa* 521 C.-M. Li, N.-H. Tan, Q. Mu, H.-L. Zheng, X.-J. Hao, Y. Wu and J. Zhou

Three glucosinolates from seeds of *Brassica juncea* 525 N. Fabre, M. Bon, C. Moulis, I. Fouraste and E. Stanislas

(+)-(3*S*,4*S*)-3-Butyl-4-vinylcyclopentene in brown algae of the genus *Dictyopteris* 529 T. Kajiwara, Y. Akakabe, K. Matsui, K. Kodama, H. Koga and T. Nagakura

Carvotacetone derivatives from the Egyptian plant *Sphaeranthus suaveolens* 533 A. A. Ahmed and A. A. Mahmoud

Oxygenated bisabolanes from *Alpinia densibracteata* 537 L.-K. Sy and G. D. Brown

Sesquiterpene glycosides from *Pittosporum pentandrum* 545 C. Y. Ragasa, J. A. Rideout, D. S. Tierra and J. C. Coll

7-Demethylplastochromenol-2 and 2-demethylplastoquinone-3 from *Seseli farreynii* 549 B. Muckensturm, F. Diyani, J.-P. Reduron and M. Hildenbrand

Guaianolides from *Centaurea scoparia* 551 A. M. Helal, N. Nakamura, M. R. Meselhy, A. M. El-Fishawy, M. Hattori and G. H. Mahran

Eudesmane-type sesquiterpene lactones from the Japanese liverwort *Frullania densiloba* 555 F. Nagashima, H. Tanaka, S. Takaoka and Y. Asakawa

Diterpeniods from *Isodon glutinosus* 559 H. Huang, Y. Chen, H. Zhang, Z. Lin, S. Zhao, M. Wang, T. Fujita and H. Sun

Ingenane and lathyrane diterpenes from the latex of *Euphorbia canariensis* 563 J. A. Marco, J. F. Sanz-Cervera and A. Yuste

Clerodane diterpenoids, long chain esters of coumaric acid and other compounds from *Baccharis myrsinites* 571 C.-J. Li, A. A. Ahmed, A. D. C. Arias and T. J. Mabry

Triterpenoids from *Shorea robusta* resin 575 L. N. Misra and A. Ahmad

Lupane triterpenoid glycosyl esters from leaves of *Acanthopanax divaricatus* 579 K. Shirasuna, M. Miyakoshi, S. Mimoto, S. Isoda, Y. Satoh, Y. Hirai, Y. Ida and J. Shoji

Three cycloastragenol glucosides from *Astragalus verrucosus* 585 L. Pistelli, S. Pardossi, G. Flamini, A. Bertoli and A. Manunta

Heartwood constituents of *Betula maximowicziana* 589 F. Hanawa, M. Shiro and Y. Hayashi

Lignan bis-glucosides from *Galium sinaicum* 597 A. A. El Gamal, K. Takeya, H. Itokawa, A. F. Halim, M. M. Amer and H.-E. A. Saad

Macromolecular composition of the propagule wall of *Nelumbo nucifera* 601 P. F. Van Bergen, P. G. Hatcher, J. J. Boon, M. E. Collinson and J. W. de Leeuw

Lignan and neolignan glycosides from stems of *Alangium premnifolium* 611 K. Yuasa, T. Ide, H. Otsuka, C. Ogimi, E. Hirata, A. Takushi and Y. Takeda

Sesquiterpene alkaloids from *Tripterygium hypoglaucum* 617 H. Duan, K. Kawazoe and Y. Takaishi

Four heptacyclic indoles from *Kopsia teoi* 623 T.-S. Kam, K. Yoganathan and C.-H. Chuah

Number 4

Growth and Metabolism

Synthesis of cell-wall glycoproteins and their characterization in oat coleoptiles 627 D. Pacoda, A. Montefusco, G. Piro and G. Dalessandro

Procedure for selection of cell wall-associated glycoproteins 633 G. J. McDougall

Isoprenoid hydrocarbons from the fruit of extant plants 637 M. P. Velcheva and C. Donchev

Mid-chain hydroxy long-chain fatty acids in microalgae from the genus *Nannochloropsis* 641 F. Gelin, J. K. Volkman, J. W. de Leeuw and J. S. Sinninghe Damsté

Glycolipids from *Byrsonima crassifolia* 647 L. Rastrelli, N. De Tommasi, I. Berger, A. Caceres, A. Saravia and F. De Simone

A galactosphingolipid from the lichen, *Ramalina celastri* 651 M. J. Machado, M. Guerrini, P. A. J. Gorin, G. Torri and M. Iacomini

Effect of salinity on fatty acid composition of a green microalga from an Antarctic hypersaline lake 655 X.-Q. Xu and J. Beardall

Activation of nitrate reductase in extracts of water stressed wheat 659 N. Munjal, S. K. Sawhney and V. Sawhney

Monophenolase activity of strawberry polyphenol oxidase 667 J. C. Espín, M. Ochoa, J. Tudela and F. García-Cánovas

Antioxidant ability of anthocyanins against ascorbic acid oxidation 671 A. D. Sarma, Y. Sreelakshmi and R. Sharma

Aluminum-induced organic acids exudation by roots of an aluminum-tolerant tropical maize 675 R. A. Jorge and P. Arruda

Bioactive flavonoids from *Helianthus annuus* cultivars 683 F. A. Macías, J. M. G. Molinillo, A. Torres, R. M. Varela and D. Castellano

Vacuolar uptake of the phytoalexin medicarpin by the glutathione conjugate pump 689 Z.-S. Li, M. Alfenito, P. A. Rea, V. Walbot and R. A. Dixon

Ecological Biochemistry

Phototoxic polyacetylenes from *Viguiera annua* and adaptations of a chrysomelid beetle, *Zygogramma continua*, feeding on this plant 695 G. Guillet, D. Chauret and J. T. Arnason

Antifungal stress compounds from *Vicia cracca* 701 M. M. Saleh and K.-W. Glombitza

Sphaeropsidins B and C, phytotoxic pimarane diterpenes from *Sphaeropsis sapinea* f. sp. *cupressi* and *Diplodia mutila* 705 A. Evidente, L. Sparapano, O. Fierro, G. Bruno, F. Giordano and A. Motta

Biosynthesis

Special Publication: Biosynthetic origin of oxygen atoms in DIMBOA from maize: NMR studies with $^{18}O_2$ 715 E. Glawischnig, W. Eisenreich, A. Bacher, M. Frey and A. Gierl

Bioactive Plant Products

Bioactive annonaceous acetogenins from *Rollinia mucosa* 719 G. Shi, J. M. MacDougal and J. L. McLaughlin

Plant Chemistry

Alkane diols from flower petals of *Carthamus tinctorius* 725 T. Akihisa, A. Nozaki, Y. Inoue, K. Yasukawa, Y. Kasahara, S. Motohashi, K. Kumaki, N. Tokutake, M. Takido and T. Tamura

Three cyclohexene oxides from *Uvaria grandiflora* 729 Y.-H. Liao, L.-Z. Xu, S.-L. Yang, J. Dai, Y.-S. Zhen, M. Zhu and N.-J. Sun

Oligosaccharide polyesters from roots of *Polygala fallax* 733 D. Zhang, T. Miyase, M. Kuroyanagi, K. Umehara and H. Noguchi

Iridoid glucosides from *Picconia excelsa* 743 S. Damtoft, H. Franzyk and S. R. Jensen

Sesquiterpene lactones from *Artemisia inculta*	751	J. A. Marco, J. F. Sanz-Cervera, V. García-Lliso, M. Guara and J. Vallès-Xirau
Sesquiterpene lactones from *Artemisia lucentica*	755	J. A. Marco, J. F. Sanz-Cervera, V. García-Lliso and N. Batlle
A sesquiterpene lactam from *Artractylodes macrocephala*	765	Z. Chen, W. Cao, G. Zhou and M. Wichtl
A guaianolide and four melampolides from *Melampodium leucanthum*	769	L. Quijano, I. S. Nuñez, F. R. Fronczek and N. H. Fischer
Megastigmane glycosides from *Lonicera gracilipes* var. *glandulosa*	777	N. Matsuda, K. Isawa and M. Kikuchi
Neo-clerodane and languidulane diterpenoids from *Salvia sousae* and *S. karwinskii*	781	B. Esquivel, J. S. Calderón, A.-A. Sánchez, M. Zárate and L. Sánchez
Longirabdolides E, F and G, 6,7-*seco*-*ent*-kaurenoids from *Rabdosia longituba*	785	Y. Takeda, Y. Futatsuishi, T. Matsumoto, T. Masuda, H. Terada and H. Otsuka
Terpenoids from *Tripterygium wilfordii*	791	K. Li, H. Duan, K. Kawazoe and Y. Takaishi
9-*epi*-Labdane diterpenoids from *Nolana rostrata* var. *rostrata*	797	M. C. Chamy, J. A. Garbarino, M. Piovano, J. L. López-Pérez, M. Nicoletti, R. Gandolfo and A. San Feliciano
Triterpenes and sesquiterpene lactones from *Cyclolepis genistoides*	801	C. S. de Heluani, M. V. de Boggiato, C. A. N. Catalán, J. G. Díaz, T. E. Gédris and W. Herz
Structure of nimonol from fresh whole green leaves of *Azadirachta indica*	807	G. Suresh, N. S. Narasimhan and N. Palani
Steroidal saponins from fruits of *Tribulus terrestris*	811	Y. Wang, K. Ohtani, R. Kasai and K. Yamasaki
Tannins from the leaves of *Punica granatum*	819	S. A. M. Hussein, H. H. Barakat, I. Merfort and M. A. M. Nawwar
Prenylated flavanones from *Derris reticulata*	825	C. Mahidol, H. Prawat, S. Ruchirawat, K. Lihkitwitayawuid, L.-Z. Lin and G. A. Cordell
Flavonoids from *Artabotrys hexapetalus*	831	T.-M. Li, W.-K. Li and J.-G. Yu
Three pterocarpans from *Erythrina crista-galli*	835	H. Tanaka, T. Tanaka and H. Etoh
Methoxylated aurones from *Cyperus capitatus*	839	R. M. Seabra, P. B. Andrade, F. Ferreres and M. M. Moreira
Cyclic octapeptides from *Stellaria dichotoma* var. *lanceolata*	841	H. Morita, K. Takeya and H. Itokawa
Methoxylated quinolizidine alkaloids from *Acosmium panamense*	847	N. C. Veitch, B. L. Goodwin, G. C. Kite and M. S. J. Simmonds
Alkaloids and coumarins from *Ticorea longiflora*	851	M. J. U. Toro, A. H. Müller, M. S. P. Arruda and A. C. Arruda
Alkaloids of Peruvian *Uncaria tomentosa*	855	G. Laus, D. Brössner and K. Keplinger
Steroidal alkaloids from *Sarcococca saligna*	861	Atta-Ur-Rahman, M. R. Khan, M. I. Choudhary and M. Z. Iqbal

Number 5

Growth and Metabolism

Amino acid sequence of the basic subunit of 13S globulin of buckwheat — 865 M. K. Rout, N. K. Chrungoo and K. S. Rao

Root and leaf specific ACC oxidase activity in corn and sunflower seedlings — 869 S. A. Finlayson, D. M. Reid and P. W. Morgan

Isolation, purification and partial characterization of sulphite oxidase from *Malva sylvestris* — 879 B. A. Ganai, A. Masood and M. A. Baig

Glutamate dehydrogenase of *Sphagnum* — 881 V. Heeschen, J. Gerendás, C. P. Richter and H. Rudolph

Purification and substrate kinetics of plant lactate dehydrogenase — 889 P. Mulcahy and P. O'Carra

Plant lactate dehydrogenase: NADH kinetics and inhibition by ATP — 897 P. O'Carra and P. Mulcahy

Mannose metabolizing enzymes from the red alga *Galdieria sulphuraria* — 903 I. Heilmann, C. Schnarrenberger and W. Gross

Action of carboxypeptidase W on oligopeptides containing carboxy-terminally amidated peptides — 907 H. Umetsu, K. Hishinuma, H. Wake, M. Takeuchi and E. Ichishima

Dehydrogenative polymerization of coniferyl alcohol on macromolecular lignin templates — 911 S.-Y. Guan, J. Mlynár and S. Sarkanen

Ecological Biochemistry

Diurnal emission of volatile compounds by Japanese beetle-damaged grape leaves — 919 J. H. Loughrin, D. A. Potter, T. R. Hamilton-Kemp and M. E. Byers

Oxidation of the phytoalexin maackiain to 6,6a-dihydroxy-maackiain by *Colletotrichum gloeosporioides* — 925 S. Soby, R. Bates and H. Van Etten

Cell Culture and Biotechnology

Induction of ABA 8′-hydroxylase by (+)-*S*-, (−)-*R*- and 8′,8′,8′-trifluoro-*S*-abscisic acid in suspension cultures of potato and *Arabidopsis* — 931 M. L. Windsor and J. A. D. Zeevaart

Biotransformation of (−)-*cis*-myrtanol and (+)-*trans*-myrtanol by plant pathogenic fungus, *Glomerella cingulata* — 935 M. Miyazawa, Y. Suzuki and H. Kameoka

Biotransformation of (−)- and (+)-isopinocampheol by three fungi — 945 M. Miyazawa, Y. Suzuki and H. Kameoka

The hydroxylation of some 13α-methylsteroids by *Cephalosporium aphidicola* — 951 J. Boynton, J. R. Hanson and A. C. Hunter

C-Methyl flavonols from the fungus *Colletotrichum dematium* f.sp. *epilobii* — 957 M. Abou-Zaid, M. Dumas, D. Chauret, A. Watson and D. Thompson

Bioactive Plant Products

Biological activities of some *Argyranthemum* species — 963 A. G. Gonzalez, R. Estevez-Reyes, A. Estevez-Braun, A. G. Ravelo, I. A. Jimenez, I. L. Bazzocchi, M. A. Aguilar and L. Moujir

Triterpenoid inhibitors of interleukin-1 secretion and tumour-promotion from *Tripterygium wilfordii* var. *regelii* — 969 Y. Takaishi, N. Wariishi, H. Tateishi, K. Kawazoe, K. Nakano, Y. Ono, H. Tokuda, H. Nishino and A. Iwashima

Terpenoids from *Tripterygium wilfordii* var. *regelii* 975 Y. Takaishi, K. Miyagi, K. Kawazoe, K. Nakano, K. Li and H. Duan

Phenolic diterpenes from *Tripterygium wilfordii* var. *regelii* 979 Y. Takaishi, N. Wariishi, H. Tateishi, K. Kawazoe, K. Miyagi, K. Li and H. Duan

Jenisseensosides C and D, biologically active acylated triterpene saponins from *Silene jenisseensis* 985 M.-A. Lacaille-Dubois, B. Hanquet, Z.-H. Cui, Z.-C. Lou and H. Wagner

Cytotoxic lignans from formosan *Hernandia nymphaeifolia* 991 I.-S. Chen, J.-J. Chen, C.-Y. Duh and I.-L.Tsai

Plant Chemistry

Hydroxyphenylazoformamide derivatives from *Calvatia craniformis* 997 Y. Takaishi, Y. Murakami, M. Uda, T. Ohashi, N. Hamamura, M. Kido and S. Kadota

Separation and characterization of *Metopium brownei* urushiol components 1003 J. F. Rivero-Cruz, D. Chavez, B. H. Bautista. A. L. Anaya and R. Mata

A L-galactose-containing carrageenan from cystocarpic *Gigartina skottsbergii* 1009 M. Ciancia, M. C. Matulewicz and A. S. Cerezo

Two diterpenes from *Isodon excisa* 1015 Y. Wang, Y. Chen, D. Kim and H. Sun

Short side-chain cycloartanes from *Tillandsia usneoides* 1019 G. M. Cabrera and A. M. Seldes

Triterpenoids from the fern *Goniophlebium mengtzeense* 1023 M. Hirohara, Y. Yasuoka, Y. Arai, K. Shiojima, H. Ageta and H.-C. Chang

Oleanolic acid based bisglycosides from *Anemone raddeana* Regel 1031 J.-M. Zhang, B.-G. Li, M.-K. Wang and Y.-Z. Chen

Triterpenes and quinovic acid glycosides from *Uncaria tomentosa* 1035 R. Aquino, N. De Tommasi, F. De Simone and C. Pizza

24-Methylpollinastanone, related triterpenoids and sterols from *Costus tonkinensis* 1041 F. Böhme, J. Schmidt, T. Van Sung and G. Adam

Withanolides from *Jaborosa leucotricha* 1045 R. I. Misico, A. S. Veleiro, G. Burton and J. C. Oberti

Benzopyrans from *Melicope ptelefolia* leaves 1049 C. Kamperdick, N. H. Van, T. V. Sung and G. Adam

Revised structures for four acetophenones from *Cynanchum taiwanianum* 1057 Y.-L. Lin, Y.-M. Wu and Y.-H. Kuo

Quercetin glycosides from European aquatic *Ranunculus* species of subgenus *Batrachium* 1063 K. Gluchoff-Fiasson, J. L. Fiasson and H. Waton

Pubescidin, an isoflavone glycoside from *Centrosema pubescens* 1069 J. B. F. Tostes, A. J. R. Da Silva and J. P. Parente

Triterpenes and triterpenoid saponins from *Mussaenda pubescens* 1073 W. Zhao, J.-L. Wolfender, K. Hostettmann, K. Cheng, R. Xu and G. Qin

Norditerpenoid alkaloids from *Aconitella hohenackeri* 1079 G. Almanza, J. Bastida, C. Codina and G. de la Fuente

Two quinoline alkaloids from the Caribbean cyanobacterium *Lyngbya majuscula* 1087 J. Orjala and W. H. Gerwick

Short Reports

7-*O*-Methylapigeninidin, an anthocyanidin from *Sorghum caudatum* 1091 E. Pale, M. Kouda-Bonafos, M. Nacro, M. Vanhaelen, R. Vanhaelen-Fastré and R. Ottinger

Isoscoparin-2″-*O*-glucoside from *Passiflora incarnata* 1093 K. Rahman, L. Krenn, B. Kopp, M. Schubert-Zsilavecz, K. K. Mayer and W. Kubelka

Book Reviews 1095

Number 6

Growth and Metabolism

Stimulation of Ca^{2+}-pumping ATPase activity in carrot plasma membrane by calmodulin 1097 F. Kurosaki

Involvement of an NAD(P)H oxidase in the elicitor-inducible oxidative burst of soybean 1101 A. Mithöfer, A. Daxberger, D. Fromhold-Treu and J. Ebel

Characterization and inducibility of a scopoletin-degrading enzyme from sunflower 1109 R. Edwards, S. M. Stones, M.-C. Gutiérrez-Mellado and J. Jorrin

Inhibitors of polygalacturonase in calli of *Orobanche aegyptiaca* 1115 G. Ben-Hod, N. B. Nun, S. Tzaban and A. M. Mayer

Digestion by fungal glycanases of arabinoxylans with different feruloylated side-chains 1123 G. Wende and S. C. Fry

Arteether: a potent plant growth inhibitor from *Artemisia annua* 1131 G. D. Bagchi, D. C. Jain and S. Kumar

Ecological Biochemistry

Inflorescence odour of *Senecio articulatus*: temporal variation in isovaleric acid levels 1135 G. C. Kite and S. A. L. Smith

The Monarch butterfly caterpillar (*Danaus plexippus*) waves at passing Hymenoptera and jet aircraft — are repellent volatiles released simultaneously? 1139 M. Rothschild and G. Bergström

Volatiles from *Medicago sativa* complex flowers 1145 A. Tava and L. Pecetti

Ecdysteroids of the root bark of *Vitex canescens* 1149 A. Suksamrarn, N. Promrangsan, B. Chitkul, S. Homvisasevongsa and A. Sirikate

Biosynthesis

Biosynthesis of octane-1,3-diol in apple fruit 1153 T. Beuerle and W. Schwab

Squalene synthase from cell suspension cultures of *Tabernaemontana divaricata* 1157 P. A. Kroon and D. R. Threlfall

Cytochrome P450-dependent hydroxylation in the biosynthesis of rosmarinic acid in *Coleus* 1165 M. Petersen

Chemotaxonomy

13-Phenyltridecanoic acid in seed lipids of some aroids 1173 P. C. Schmid, R. T. Holman and V. G. Soukup

Composition and infraspecific variability of essential oil from *Thymus camphoratus* 1177 L. R. Salgueiro, R. Vila, F. Tomi, X. Tomas, S. Cañigueral, J. Casanova, A. Proença da Cunha and T. Adzet

Chemotaxonomy of *Parthenium*: *P. hysterophorus*–*P. glomeratum* 1185 J. R. de la Fuente, L. Novara, S. R. Alarcón, O. J. Díaz, M. L. Uriburu and V. E. Sosa

Flavonoid evidence and the classification of the Anarthriaceae within the Poales 1189 C. A. Williams, J. B. Harborne, J. Greenham, B. G. Briggs and L. A. S. Johnson

Bioactive Plant Products

Microviridins, elastase inhibitors from the cyanobacterium *Nostoc minutum* (NIES-26) 1197 M. Murakami, Q. Sun, K. Ishida, H. Matsuda, T. Okino and K. Yamaguchi

Dictyophorines A and B, two stimulators of NGF-synthesis from the mushroom *Dictyophora indusiata* 1203 H. Kawagishi, D. Ishiyama, H. Mori, H. Sakamoto, Y. Ishiguro, S. Furukawa and J. Li

Prenylated phenylpropenes from *Coleonema pulchellum* with antimicrobial activity 1207 G. Brader, M. Bacher, O. Hofer and H. Greger

Plant Chemistry

Glycolipids from *Mirabilis himalaica* 1213 G.-L. Zhang, Q.-Y. Xing and M.-Z. Zhang

Diosphenols from *Spirostachys africana* 1217 N. M. Munkombwe, T. Maswabi and N. A. Hughes

Terpenoids from *Salvia candidissima* subsp. *candidissima* 1221 A. Ulubelen, N. Tan and G. Topcu

Pregnanes and triterpenoid hydroperoxides from the leaves of *Aglaia grandis* 1225 A. Inada, H. Murata, Y. Inatomi, T. Nakanishi and D. Darnaedi

Steroidal glucosides from leaves of *Cordyline stricta* 1229 Y. Mimaki, Y. Takaashi, M. Kuroda and Y. Sashida

Bibenzyl derivatives from *Pellia epiphylla* 1235 F. Cullmann, H. Becker, E. Pandolfi, E. Roeckner and T. Eicher

Prenylated bibenzyl derivatives from *Lethocolea glossophylla* and *Radula voluta* 1249 L. Kraut, R. Mues and H. D. Zinsmeister

A phenolic cinnamate dimer from *Psoralea plicata* 1257 A. I. Hamed, I. Springuel, N. A. El-Emary, H. Mitome and Y. Yamada

Neolignans, styrylpyrones and flavonoids from an *Aniba* species 1263 M. H. Rossi, M. Yoshida and J. G. S. Maia

Neolignan, phenylpropanoid and iridoid glycosides from *Pedicularis verticillata* 1271 S. Bao-Ning, Y. Li and J. Zhong-Jian

Bicoumarins from *Pleurospermum rivulorum* 1275 Y.-Q. Xiao, X.-H. Liu, M. Taniguchi and K. Baba

Anthrones from *Aloe barbadensis* 1279 R. Saleem, S. Faizi, F. Deeba, B. S. Siddiqui and M. H. Qazi

The absolute stereostructure of dioncophylline A by anomalous X-ray dispersion of a 5-bromo derivative 1283 G. Bringmann, W. Saeb, K. Peters and E.-M. Peters

Naphthylisoquinoline alkaloids from *Ancistrocladus cochinchinensis* 1287 N. H. Anh, A. Porzel, H. Ripperger, G. Bringmann, M. Schäffer, R. God, T. V. Sung and G. Adam

Short Reports

Terpenoids from *Salvia glutinosa* 1293 G. Topcu, N. Tan, G. Kökdil and A. Ulubelen

Sitosterol sucroside from the suckers of *Mentha arvensis* 1295 R. A. Khan, A. K. Singh and P. K. Agrawal

A stilbene derivative from *Artocarpus incisus* 1297 K. Shimizu, R. Kondo and K. Sakai

7-*O*-Methylgarcinone E from *Garcinia cowa* 1299 K. Likhitwitayawuid, T. Phadungcharoen, C. Mahidol and S. Ruchirawat

Alkaloids from *Alstonia scholaris* 1303 T.-S. Kam, K.-T. Nyeoh, K.-M. Sim and K. Yoganathan

Book Review 1307

Number 7

Review Article Number 120

Sequence and structural features of plant and fungal tyrosinases 1309 C. W. G. van Gelder, W. H. Flurkey and H. J. Wichers

Growth and Metabolism

Brassinosteroids from seeds of *Arabidopsis thaliana* 1325 J. Schmidt, T. Altmann and G. Adam

Varietal differences in protein phosphorylation during cold treatment of rice leaves 1329 S. Komatsu and A. Kato

Properties of plasma membranes of P*hsp*70-*ipt* transformed tobacco (*Nicotiana tabacum*) 1337 L. Bultynck, J. M. C. Geuns, G. Van Ginkel and R. J. Caubergs

Cadmium- and copper-induced changes in tomato membrane lipids 1343 O. Ouariti, N. Boussama, M. Zarrouk, A. Cherif and M. H. Ghorbal

Changes in enzymes involved in suberisation in elicitor-treated French bean cells 1351 G. P. Bolwell, C. Gerrish and J.-P. Salaun

Pectinolytic enzymes from *Pseudomonas marginalis* MAFF 03-01173 1359 K. Hayashi, Y. Inoue, M. Shiga, S. Sato, R. Takano, K. Hirayae, T. Hibi and S. Hara

Reactions of polyphenol oxidase generated caftaric acid *o*-quinone with malvidin 3-*O*-glucoside 1365 P. Sarni-Manchado, V. Cheynier and M. Moutounet

Detection of tomatinase from *Fusarium oxysporum* f. sp. *lycopersici* in infected tomato plants 1371 K. Lairini and M. Ruiz-Rubio

Increases in surface flavonols and photosynthetic pigments in *Gnaphalium luteo-album* in response to UV-B radiation 1377 P. Cuadra, J. B. Harborne and P. G. Waterman

Ecological Biochemistry

Biological activities of pseudomycin A, a lipodepsinonapeptide from *Pseudomonas syringae* MSU 161H 1385 D. Di Giorgio, L. Camoni, C. Marchiafava and A. Ballio

Tetranortriterpenoid insect antifeedants from *Severinia buxifolia* 1393 T. S. Wu, Y. L. Leu, Y. Y. Chan, P. L. Wu, C. S. Kuoh, S. J. Wu and Y. Wang

Blue flower colour derived from flavonol–anthocyanin co-pigmentation in *Ceanothus papillosus* 1399 S. J. Bloor

Biosynthesis

Separation of the *N*-7 methyltransferase, the key enzyme in caffeine biosynthesis — 1407 S. S. Mösli Waldhauser, F. M. Gillies, A. Crozier and T. W. Baumann

Dihydroflavonol 4-reductase activity in lignocellulosic tissues — 1415 V. Dellus, W. Heller, H. Sandermann Jr and A. Scalbert

Bioactive Plant Products

Coumarins and anti-HBV constituents from *Zanthoxylum schinifolium* — 1419 C.-T. Chang, S.-L. Doong, I.-L. Tsai and I.-S. Chen

Plant Chemistry

Annonisin, a bis-tetrahydrofuran acetogenin from *Annona atemoya* seeds — 1423 P. Duret, R. Hocquemiller and A. Cavé

Iridoid glycosides from *Eucnide bartonioides* — 1427 V. Rodriguez, J. Schripsema and S. R. Jensen

9ξ-*O*-β-D-Glucopyranosyloxy-5-megastigmen-4-one from *Lamium album* — 1431 S. D. Sarker, L. Dinan, V. Šik and H. H. Rees

Sesquiterpenes from the essential oil of *Cyperus alopecuroides* — 1435 M. M. Sonwa, W. A. König, K.-H. Kubeczka and O. Motl

Sesquiterpenes from *Ligularia intermedia* — 1441 H.-M. Chen, M.-S. Cai and Z.-J. Jia

Sesquiterpene lactones from Brazilian *Tithonia diversifolia* — 1445 P. S. Pereira, D. A. Dias, W. Vichnewski, A. M. T. T. Nasi and W. Herz

Guaianolides from *Centaurea musimomum* — 1449 K. Medjroubi, F. Benayache, S. Benayache, S. Akkal, N. Khalfallah and P. Aclinou

Russulactarorufin, a lactarane skeleton sesquiterpene from *Russula brevipes* — 1453 O. P. Suri, R. Shah, N. K. Satti and K. A. Suri

ent-Trachylobane diterpenoids from the liverwort *Mastigophora diclados* — 1457 Y.-W. Leong and L. J. Harrison

Languidulane, clerodane and secoclerodane diterpenes from *Salvia tonalensis* — 1461 E. Maldonado and A. Ortega

Mulinol, a diterpenoid from *Azorella compacta* — 1465 L. A. Loyola, J. Bórquez, G. Morales and A. S. Martin

Diterpenoids and flavonoids from *Ophryosporus charrua* — 1469 L. S. Favier, M. Nieto, O. S. Giordano and C. E. Tonn

A quinone methide from *Salvia officinalis* — 1475 M. Tada, T. Hara, C. Hara and K. Chiba

Serrulatane diterpenes from a new *Eremophila* species — 1479 Y. M. Syah and E. L. Ghisalberti

Diterpenoid, sesquiterpenoid and secoiridoid glucosides from *Aster auriculatus* — 1483 W. Changzeng and Y. Dequan

Meroditerpenes from *Cystoseira amentacea* var. *stricta* collected off the Mediterranean coasts — 1489 V. Mesguiche, R. Valls, L. Piovetti and B. Banaigs

Androstane and pregnane 2β,19-hemiketal steroids from *Trichilia claussenii* — 1495 M. T. Pupo, P. C. Vieira, J. B. Fernandes, M. F. das G. F. da Silva and E. R. Fo

Triterpenoid saponins from the leaves of *Ilex latifolia* — 1501 M.-A. Ouyang, H.-Q. Wang, Y.-Q. Liu and C.-R. Yang

A saponin conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one from *Vigna angularis* — 1507 T. Iida, Y. Yoshiki, T. Kahara, K. Okubo and H. Ohrui

Three chromones of *Aloe vera* leaves 1511 N. Okamura, N. Hine, Y. Tateyama, M. Nakazawa, T. Fujioka, K. Mihashi and A. Yagi

Structural revision of four coumarins from *Pterocaulon* species 1515 S. L. Debenedetti, N. De Kimpe, M. Boeykens, J. D. Coussio and B. Kesteleyn

Diastereomeric *C*-glucosylanthrones of *Aloe vera* leaves 1519 N. Okamura, N. Hine, S. Harada, T. Fujioka, K. Mihashi, M. Nishi, K. Miyahara and A. Yagi

7-Hydroxy-2,3,5,6-tetrahydro-3,6,9-trimethylnaphtho[1,8-b,c]pyran-4,8-dione from *Thespesia populnea* 1523 M. Milbrodt, W. A. König and B. M. Hausen

The natural occurrence of magnosalicin diastereomers 1527 M. D. F. Da Silva, F. S. N. Taveira, J. G. S. Maia, L. M. Conserva, M. Yoshida and O. R. Gottlieb

Flavonoids from *Ephedra aphylla* 1529 S. A. M. Hussein, H. H. Barakat, M. A. M. Nawar and G. Willuhn

A pyrano chalcone and a flavanone from *Neoraputia magnifica* 1533 E. A. P. Passador, M. F. das G. F. da Silva, E. R. Fo, J. B. Fernandes, P. C. Vieira and J. R. Pirani

Structural revision of franchetine and vilmorisine, two nor-diterpenoid alkaloids from the roots of *Aconitum* spp. 1539 F.-P. Wang, Z.-B. Li, X.-P. Dai and C.-S. Peng

Phoebegrandines A and B, proaporphine-tryptamine dimers, from *Phoebe grandis* 1543 M. R. Mukhtar, M.-T. Martin, M. Domansky, M. Pais, A. H. A. Hadi and K. Awang

Book Reviews 1547

Number 8

Growth and Metabolism

Detection of the isoenzymes of wheat grain proteinase A 1549 A. V. Jivotovskaya, C. Horstmann and I. A. Vaintraub

A gallotannin degrading esterase from leaves of pedunculate oak 1555 J. U. Niehaus and G. G. Gross

Lipids of *Pavlova lutheri*: cellular site and metabolic role of DGCC 1561 W. Eichenberger and C. Gribi

Conversion of velutinal esters in the fruit bodies of *Russula cuprea* 1569 M. Clericuzio and O. Sterner

Douglas-fir polyphenols and heartwood formation 1573 V. Dellus, I. Mila, A. Scalbert, C. Menard, V. Michon and C. L. M. Herve du Penhoat

Ecological Biochemistry

Insecticidal rocaglamide derivatives from *Aglaia elliptica* and *A. harmsiana* 1579 B. W. Nugroho, B. Güssregen, V. Wray, L. Witte, G. Bringmann and P. Proksch

Biosynthesis

Solubilization of membrane bound Δ^{12}- and Δ^{6}-fatty acid desaturases from borage seeds 1587 A.-M. Galle, A. Oursel, M. Joseph and J.-C. Kader

Biosynthetic incorporation of the aminobutyl group of spermidine into pyrrolizidine alkaloids 1591 G. Graser and T. Hartmann

Cell Culture and Biotechnology

Cycloartane saponin production in hairy root cultures of *Astragalus mongholicus* 1597 I. Ionkova, T. Kartnig and W. Alfermann

Chemotaxonomy

Non-terpenoid compounds from *Plocamium cartilagineum* 1601 P. M. Abreu, J. M. Galindro, A. M. Relva and A. M. Ramos

Essential oils from New Zealand manuka and kanuka: chemotaxonomy of *Kunzea* 1606 N. B. Perry, J. W. Van Klink, N. J. Brennan, W. Harris, R. E. Anderson, M. H. Douglas and B. M. Smallfield

3,4-Dihydroxy-3′-methoxystilbene, the first monomeric stilbene derivative from bryophytes 1613 A. Speicher and R. Schoeneborn

Plant Chemistry

An amide from fruits of *Piper nigrum* 1617 B. S. Siddiqui, S. Begum, T. Gulzar, Farhat and F. Noor

Isolation and synthesis of rufulamide, an oligopeptide analogue from *Metzgeria rufula* 1621 L. Kraut, T. Klaus, R. Mues, T. Eicher and H. D. Zinsmeister

Aliphatic β-D-glucosides from fruits of *Carica pubescens* 1627 D. Krajewski, C. Duque and P. Schreier

7-Epi-eudesmanes, eudesmanoic acids, eudesmanolides and other sesquiterpenes from *Pluchea dioscoridis* 1633 A. A. Mahmoud

Daucane esters from *Ferula arrigonii* 1639 G. Appendino, J. Jakupovic, S. Alloatti and M. Ballero

Sesquiterpenolides from *Melanoselinum decipiens* 1645 G. M. Massanet, F. M. Guerra, Z. D. Jorge and C. Astorga

Neo-clerodane diterpenoids from *Teucrium sandrasicum* 1653 M. C. de la Torre, B. Rodríguez, M. Bruno, C. Fazio, K. H. C. Baser and H. Duman

Modified abietane diterpenoids and a methoxylupane derivative from *Salvia palaestina* 1663 A. A. Hussein, M. C. de la Torre, B. Rodríguez, F. M. Hammouda and H. A. Hussiney

Ergosta-4,6,8,22-tetraen-3-one from the edible fungus, *Pleurotus ostreatus* (oyster fungus) 1669 V. Chobot, L. Opletal, L. Jahodář, A. V. Patel, C. G. Dacke and G. Blunden

Phloroglucinol derivatives from leaves of *Bosistoa pentacocca* 1673 A. A. Auzi, P. I. Forster, T. G. Hartley, R. D. Waigh and P. G. Waterman

Phenylpropanoids from leaves of *Juniperus phoenicea* 1679 G. Comte, J. Vercauteren, A. J. Chulia, D. P. Allais and C. Delage

Hydroxycinnamic acid esters from broccoli florets 1683 K. R. Price, E. Casuscelli, I. J. Colquhoun and M. J. C. Rhodes

Proanthocyanidins from *Lotus pedunculatus* 1689 L. Y. Foo, Y. Lu, W. C. McNabb, G. Waghorn and M. J. Ulyatt

Methoxyflavones from *Ficus maxima* 1697 G. Diaz M., A. C. Arruda, M. S. P. Arruda and A. H. Müller

Acylated flavonol glycosides from spinach leaves (*Spinacia oleracea*) 1701 F. Ferreres, M. Castañer and F. A. Tomás-Barberán

Further norditerpenoid alkaloids from *Delphinium cardiopetalum* 1707 M. Reina, A. Madinaveitia and G. de la Fuente

Two norditerpenoid alkaloids from *Delphinium siwanense* 1713 S. Zhang, G. Zhao and G. Lin

Short Reports

A triterpene glycoside from *Scrophularia koelzii* 1717 S. P. S. Bhandari, U. V. Babu and H. S. Garg

A steroidal glycoside from *Clerodendron inerme* 1721 Atta-Ur-Rehman, S. Begum, S. Saied, M. I. Choudhary and F. Akhtar

Anthraquinones from *Morinda elliptica* 1723 N. H. Ismail, A. M. Ali, N. Aimi, M. Kitajima, H. Takayama and N. H. Lajis

A flavonol *C*-glycoside from *Moghania macrophylla* 1727 J.-B. Wu, Y.-D. Cheng, L.-L. Su, C.-W. Kuo and S.-C. Kuo

Rhamnetin 3-*O*-laminaribioside from *Pteridium aquilinum* 1729 F. Imperato

Alkaloids of *Uncaria elliptica* 1731 T. K. K. Diyabalanage, B. M. M. Kumarihamy, G. P. Wannigama, L. Jayasinghe, L. Merlini and L. Scaglioni